



ICE TOUCH[®]

DECORATIVE LAMINATES



BY AN ISO 9001 : 2008 COMPANY

COMPANY PROFILE

The company **SUPERTECH LAMINATES PVT. LTD.** is founded by a team of experts having **more than 25 years** of experience in the field of manufacturing decorative laminates. The main **"MANTRA"** of the company is **"GIVING BEST VALUE FOR CUSTOMER'S MONEY"**. To achieve their commitment the company is doing continuous R&D and hiring best consultants & scientists of the industry, to make their products better & better.



CONTENTS

D.No.	Design Name	Page
MGL	MIRROR HIGH GLOSS	2-13
SM FINISH	SM FINISH	14-15
FBT	FLORA BALES TRACK	16-17
3DF	3D FLOWER	18-19
FLD	FLORA DALES	20-21
MFL	MULTI FLOWER LEAFS	22-23
LGF	LEATHER GLOSS FINISH	24-25
BG FINISH	BG FINISH	26-27
FCG	FLORA GLOSS CHANNEL	28-29
CRS	CROWNING STREETS	30-31
MSR	MAGIC STAR	32
CLF	CRAZY LEAFS	33
PNX	PIONEER NEXT	34-35
FLR	FLORAL	36-37
FW	FINE WOOD	38
NV	NATURAL VENEER	39
SPG	SPIRITUAL GLOW	40
TNG	TEAK CHANNEL	41
SF	SUEDE FINISH	42-56
SOLID	SOLID COLORS	57
METALLIC FOIL		58
MARKERS		58



MGL*

> Mirror High Gloss



SF - 506

SF - 515



MIRROR
HIGH GLOSS

*"A house is much more than a mere shelter,
it should lift us emotionally and spiritually."*



♥ MGL - 515



♥ MGL - 506

| MGL*



♥ MGL - 55



♥ MGL - 513



♥ MGL - 479

MIRROR
HIGH GLOSS

*"Be faithful to your own taste because
nothing, you really like, is ever out of style."*



♥ MGL - 526



♥ MGL - 522



♥ MGL - 54



♥ MGL - 21



♥ MGL - 50



♥ MGL - 514



♥ MGL - 51



♥ MGL - 507

MIRROR
HIGH GLOSS

"MIRROR HIGH GLOSS the finish that touches interior's heart and soul."



♥ MGL-17



♥ MGL-12



♥ MGL-19



♥ MGL-6

| MGL*



♥ MGL - 504



♥ MGL - 520



♥ MGL - 4



♥ MGL - 3



MIRROR
HIGH GLOSS

*"A room should start a conversation before
people actually starts exchanging words."*



♥ MGL - 5



♥ MGL - 22



♥ MGL - 26



♥ MGL - 27

MIRROR
HIGH GLOSS



♥ MGL - 48



♥ MGL - 49



♥ MGL - 2



♥ MGL - 59

"We shape our home and
than our homes shape us."



♥ MGL - 60



♥ MGL - 61



♥ MGL - 62



♥ MGL - 63

*"The design needs to be visually powerful,
intellectually elegant and above all timeless."*



♥ MGL - 64



♥ MGL - 65




♥ MGL - 66



♥ MGL - 67

MGL*


MIRROR
HIGH GLOSS




♥ MGL - 32



♥ MGL - 33



♥ MGL - 34



♥ MGL - 35



♥ MGL - 48



♥ MGL - 36



♥ MGL - 37



♥ MGL - 39



♥ MGL - 40



♥ MGL - 42



♥ MGL - 43



♥ MGL - 44



♥ MGL - 41



♥ MGL - 49



♥ MGL - 46

> SM Finish



♥ SM - 01



SM*



SM*

"Pick what you like because living with a trend that is yours is always a good choice."



♥ SM - 02



♥ SM - 03



♥ SM - 04



♥ SM - 05

| FBT*

FLORA
BALES TRACK



♥ FBT - 01




♥ FBT - 02

FLORA
BALES TRACK

*"Dezire to deserve
the dazzling Design."*




♥ FBT - 03



♥ FBT - 04

| 3DF*

“A room should never allow the eye to settle in one place. It should smile at you and create fantasy.”



♥ 3DF-04



3D
FLOWER



♥ 30F - 02



♥ 30F - 03



♥ 30F - 01



♥ 30F - 06

| FLD*

“Some people look for a beautiful place,
Other makes a place beautiful.”



♥ FLD - 08



♥ FLD - 11



♥ FLD - 01



♥ FLD - 04

MFL*

“To be beautiful, a room must contain the contrast in forms as well as in colours and texture.”



♥ MFL-01

MULTI FLOWER LEAFS



♥ MFL - 03



♥ MFL - 05



♥ MFL - 10



♥ MFL - 11

Aero Gloss Fusion



AG1



AG2




AG3

LEATHER
GLOSS FUSION

*"Aspire to adorn the ambience
with aesthetics."*



♥ LGF-01



♥ LGF-02



APT 01



APT 02



APT 03

| VF



VF 01



VF 02



VF 03

FCG*

*"The best designs are personalized
and unique to the individual."*



♥ FCG - 05

FLORA
GLOSS CHANNEL



♥ FCG - 01



♥ FCG - 03

CRS* > Crowning Streets



SF - 8515




♥ CRS - 10




◆ CRS : Crowning Streets ◆

"Your home should tell the story of who you are and so be a collection of what you love."



♥ CRS - 01



♥ CRS - 02



♥ CRS - 08

MSR*

> Magic Star



♥ MSR - 01



♥ MSR - 06



♥ MSR - 07

> Crazy Leaf

CLF**



♥ CLF - 04



♥ CLF - 05



♥ PNX - 04

SF - 8504




◆ PNX : Pioneer Next ◆



♥ PNX -08



♥ PNX -07



♥ PNX -06

◆ FLR : FLORAL ◆

FLR*



♥ FLR - 04



♥ FLR - 11



♥ FLR - 17



♥ FLR - 18

FLR*


◆ FLR : FLORAL ◆



♥ FLR - 07



♥ FLR - 12



♥ FLR - 05



♥ FLR - 08



Recommended to view sample in large format.



Laminate is best applied vertically.

◆ FW : Fine Wood ◆

FW*



♥ FW - 01



♥ FW - 04

NV*

◆ NV : Natural Veneer ◆



♥ NV - 03



♥ NV - 04

|SPG*

> Spiritual Glow



♥ SPG - 17



♥ SPG - 18



TNG** > Teak Channel

"If you love the design of your home, then that is all that matters. Be careful not to chase trends."



♥ TNG - 12



♥ TNG - 13



♥ TNG - 18



SF - 8515 | GREEN WOOD



SF - 8504 | FINLAND OAK



SF - 8520 | PERTH TEAK

...a way as best to accomplish a particular purpose."

SUEDE
FINISH



SF - 8517 | MOZAMBIQUE TEAK



SF - 8516 | SAIBERIAN TEAK



SF - 8523 | DESERT TEAK

| SF

"Always trust in your instincts. Desi



SF - 8505 | SPANISH TEAK



SF - 8507 | MODERN TEAK



SF - 8506 | ZAMBIAN TEAK



SF - 8436 | BROWN TEAK WALNUT



gn is very subjective and personal. ”

SUEDE
FINISH



SF - 8526 | PERCIAN TEAK



SF - 8479 | BROWN CHESTNUT



SF - 8480 | GREY CHESTNUT

| SF

"Catch the charm to ch



SF-8513 | LITE MAPLE



SF-8449 | MESSY WALNUT



SF-8456 | MALASIAN WOOD



SF-8440 | UNIQUE WALNUT

erish your chambers.”

SUEDE
FINISH



SF - 8478 | BRENT WOOD



SF - 8388 | AFRO WALNUT



SF - 8462 | SPANISH BURRY



SF - 8463 | KEPTOWN BURRY

> WOOD GRAINS

SUEDE
FINISH



SF - 8518 | MOLDEE AQUASIA



SF - 8503 | VANCOUVER TEAK



SF - 8519 | EUREKAA OAK



SF - 8484 | ROSENOT WOOD



SF - 8481 | SALMANIA ANTIQUE



SF - 8514 | YELLOW OAK



SF - 8482 | DEVINE OAK



SF - 8865 | GHANA WALNUT

| SF

"The best designs are personalized"



SF - 8483 | CAMROON WOOD



SF - 8471 | ROYAL TEAK



SF - 8614 | ROSE TEAK WALNUT



SF - 8472 | PRETTY ROSE

zed and unique to the individual.”

SUEDE
FINISH



SF - 8525 | PLANKET MAPLE



SF - 8635 | MINAR TEAK



SF - 8448 | SLIMANIA TEAK



SF - 8522 | HAYWARD PINE



SF - 8524 | ZARA TEAK



SF - 8537 | AYODA WOOD



SF - 8538 | MANDOLA TEAK



SF - 8540 | WOOD BLOCK

it should lift us emotionally and spiritually.”

**SUEDE
FINISH**



SF - 8508 | HIGH LAND OAK



SF - 8510 | BELFOURT WOOD




SF - 8511 | WILD TEAK



SF - 8509 | KUMASI OAK



SF - 8377 | WHITE ASH WOOD



SF - 8439 | BLACK ZEBRA LINE



SF - 8380 | BLACK ASH WOOD



SF - 8847 | DEEP WENGE



SF - 8808 | SAPELI



SF - 8848 | FLOWERY WENGE

a way as best to accomplish a particular purpose.”

SUEDE
FINISH



SF - 8432 | BROWN BOROLIAN SWAN



SF - 8431 | LIGHT BOROLIAN SWAN



SF - 8433 | BLACK BOROLIAN SWAN




SF - 8454 | ALASKA ELM




SF - 8453 | AFRICAN ELM

> WOOD GRAINS | SUEDE FINISH



8951 | FABRIC 1




8952 | FABRIC 2



8953 | FABRIC 3



8954 | COTTON IVORY



8955



8521 | COTTON LITE GREY



8501 | COTTON BROWN



8502 | COTTON DARK GREY



8359 | SILVER TITAN



8625 | STEAM BEECH




8627 | CHERRY BEECH



8601 | MYSORE TEAK



8642 | NAINA TEAK



8555 | BURMA TEAK


SOLID COLORS




8101 MT
WHITE



8101 SF
WHITE



8102 MT
OFF WHITE



8102 SF
OFF WHITE



8111
IVORY



8104
GRAY



8118
DARK GRAY



8119
CARBON GRAY



8109
GOLDEN YELLOW



8112
ORANGE



8114



8106
PINK




8129
VOILET



8121
RED



8105
CHERRY



8152
COFFEE



8153
PURPLE



8130
SKY BLUE



8131
DARK BLUE



8135
OCEAN BLUE



8133
ROYLE BLUE



8134
NAVY BLUE



8141
PISTA



8140
PEACOCK GREEN



8124
GREEN




8145
CHALK GREEN



8151
BLACK



8155



8156



8157



8158



PROPERTIES	Specified Values as per IS : 2046 - 1995, Type S	CONFORMS
THICKNESS	0.8mm AND 1.0mm	
RESISTANCE TO SURFACE WEAR	350 (Revolutions)	
RESISTANCE TO IMMERSION IN BOILING WATER		✓
MASS INCREASE (%)	10.0 (Maximum)	
THICKNESS INCREASE (%)	11.8 (Maximum)	
APPEARANCE	Not worse than 4	
RESISTANCE TO DRY HEAT 180c	Not worse than 4	✓
DIMENSIONAL STABILITY AT DEVIATED TEMPERATURE		
LONGITUDINAL (%)	0.55 (Maximum)	
TRANSVERSE (%)	1.025 (Maximum)	
DIMENSIONAL STABILITY AT 20c		✓
LONGITUDINAL (%)	0.375 (Maximum)	
TRANSVERSE (%)	0.060 (Maximum)	
RESISTANCE TO IMPACT BY SMALL DIAMETER BALL	20 N (Minimum)	✓
RESISTANCE TO CRACKING	Not worse than 4	✓
RESISTANCE TO SCRATCHING	2 N (Minimum)	✓
RESISTANCE TO STAINING	Not worse than 5	✓
RESISTANCE TO COLOUR CHANGE (WOOL STANDARDS)	Not worse than 6	✓
IN ZENON ARC LIGHT	Not worse than 5	
IN ENCLOSED CARBON ARC LIGHT		
RESISTANCE TO CIGARETTE BURNS	Not worse than 3	✓
RESISTANCE TO STEAM	Not worse than 4	✓

PRODUCT DATA	
SIZE	: 2440mm XX 1220mm
THICKNESS	: 0.8Mmm AND 1.0mm Other thickness available on request.
CARE AND MAINTENANCE	: Wipe & Clean with ordinary soap, water or household ammoniated liquid detergent.

- ! CAUTION !**
- * The Sample pasted describe design, colour, finish only and not actual thickness & shade.
 - * As it is a designer product, despite our best efforts, the shade may vary from lot to lot. It is advisable to check it before use.
 - * Inspect the product before using, in case of any defect the product should not be cut, altered or pasted in any manner.
 - * After cutting or altering the size or pasting of the product : The company shall not be liable for any defect in the product or any loss due to use of product.
 - * In case of any discrepancy, company's liability will be limited to the cost of our product only.

ISI Guidelines for Typical Problems

Some problems which may arise after laminates have been fabricated and installed are:

Stress Cracking:

Cracking of the laminate at corners and around cut-outs (see Fig. A) may be caused by improper conditioning; improper bonding, poor planning or any combination of these. Conditioning both the laminate and the substrate helps to prevent cracking caused by shrinkage and Rough edges.

Open Seams:

Open joints or seams (see Fig. B) are typically caused by improper conditioning and /or bonding. Conditioning both the laminate and the substrate helps prevent open seams caused by shrinkage. Allowance should also be made for some movement of the laminate.

Glue Line delamination:




Separation of the laminate from the substrate (see Fig. C) is generally caused by a poor adhesive bond. Factors which can influence the bond can cause poor adhesion are improperly prepared or dirty gluing surfaces, insufficient agitation or mixing of the adhesive, insufficient amount of adhesive on either or both surfaces, temperature of the gluing area and materials below 21° C (70° F), blushing caused by excessive humidity, bonding when the adhesive coated surfaces are overdried or underdried, bonding with insufficient pressure and filed bonding of oversize sheets. Contact adhesive can often be reactivated by heat and rebounded with proper pressure provided that adequate adhesive has been applied; in cases, where the edge is lifting, extra adhesive may be added and the proper pressure applied.

Blistering or bubbling caused by exposure to heat:

The forming of a blister or bubble over a small well defined area, often accompanied by darkening of the laminate, can be caused by either a single or continual exposure to an outside source of heat. Appliances which produce heat, hot objects, light bulbs etc. should not be placed in contact with or in close proximity to the laminate surface. Temperatures exceeding 66° C (150° F) may result in separation of the laminate from the substrate due to adhesive failure.

Laminate Cracking:

Cracking in the center of the laminate sheet can be caused by flexing of the substrate when it spans a wide distance or by spot gluing. Wide spans requires sturdy framework and all glue lines should be uniform. Avoid trapping foreign objects in the glue line between the laminate and the core as cracks will occur when pressure is applied.



Extra care required in vertical pasting of laminated sheet as there is possibility of bubbles due to lack of uniform pressure.



Do not use chemicals.



Avoid direct Sun Light/ continuous light. These may cause to colour fading.

D.No.	Design Name	Page	D.No.	Design Name	Page	D.No.	Design Name	Page
1	FBT	16	35	MGL	12	555	SF	56
1	3DF	19	36	MGL	12	601	SF	56
1	FLD	21	37	MGL	12	625	SF	56
1	MFL	22	39	MGL	12	627	SF	56
1	LGF	25	40	MGL	12	642	SF	56
1	FCG	29	41	MGL	12	951	SF	56
1	CRS	31	42	MGL	12	952	SF	56
1	MSR	32	43	MGL	12	953	SF	56
1	FW	38	44	MGL	12	954	SF	56
2	MGL	10	46	MGL	12	955	SF	56
2	FBT	16	48	MGL	10	8141		57
2	3DF	19	48	MGL	12	8377	SF	54
2	LGF	25	49	MGL	12	8380	SF	54
2	CRS	31	50	MGL	6	8388	SF	47
3	MGL	8	50	MGL	10	8431	SF	55
3	FBT	17	51	MGL	6	8432	SF	55
3	3DF	19	54	MGL	5	8433	SF	55
3	MFL	23	55	MGL	4	8436	SF	45
3	FCG	29	60	MGL	11	8439	SF	54
3	NV	39	61	MGL	11	8440	SF	46
4	MGL	8	62	MGL	11	8448	SF	51
4	FBT	17	63	MGL	11	8449	SF	46
4	3DF	18	101	M	57	8453	SF	55
4	FLD	21	101	SF	57	8454	SF	55
4	CLF	33	102	M	57	8456	SF	46
4	PNX	34	102	SF	57	8462	SF	47
4	FLR	36	104	SF	57	8463	SF	47
4	FW	38	105		57	8471	SF	50
4	NV	39	106		57	8472	SF	50
5	MGL	9	109		57	8478	SF	47
5	MFL	23	111		57	8479	SF	44
5	FCG	28	112		57	8480	SF	44
5	CLF	33	114		57	8481	SF	49
5	FLR	37	118		57	8482	SF	49
6	MGL	7	121		57	8483	SF	50
6	3DF	19	124		57	8484	SF	48
6	MSR	32	129		57	8503	SF	48
6	PNX	35	130		57	8504	SF	42
7	MSR	32	131		57	8505	SF	45
7	PNX	35	133		57	8506	SF	45
7	FLR	37	134		57	8507	SF	45
8	FLD	20	135		57	8508	SF	53
8	CRS	31	140		57	8509	SF	53
8	PNX	35	145		57	8510	SF	53
8	FLR	37	151		57	8511	SF	53
10	MFL	23	152		57	8512	SF	44
10	CRS	30	153		57	8513	SF	46
11	FLD	20	155		57	8514	SF	49
11	MFL	23	156		57	8515	SF	42
11	LGF	24	157		57	8516	SF	43
11	FLR	36	158		57	8517	SF	43
12	MGL	7	359	SF	56	8518	SF	48
12	FLR	37	479	MGL	4	8519	SF	48
12	TNG	41	490	SF	52	8520	SF	42
13	TNG	41	491	SF	52	8522	SF	51
17	MGL	7	492	SF	52	8523	SF	43
17	FLR	36	493	SF	52	8525	SF	51
17	SPG	40	501	SF	56	8614	SF	50
18	FLR	36	502	SF	56	8635	SF	51
18	SPG	40	504	MGL	8	8808	SF	54
18	TNG	41	506	MGL	3	8847	SF	54
19	MGL	7	507	MGL	6	8848	SF	54
21	MGL	5	512	MGL	5	8865	SF	49
22	MGL	9	513	MGL	4			
26	MGL	9	514	MGL	6			
27	MGL	9	515	MGL	3			
32	MGL	12	520	MGL	8			
33	MGL	12	521	SF	56			
34	MGL	12	522	MGL	5			

IT IS STRICTLY ADVISABLE TO PROPERTY CONDITION THE OBJECT ALONG WITH LAMINATES ACCORDING TO THE CLIMATE. AS WITHOUT PROPER CONDITIONING, IT MAY LEAD TO CRACKS IN THE LAMINATE. COMPANY WILL NOT BE LIABLE FOR SUCH TYPE OF PROBLEMS.



ICE TOUCH[®]
DECORATIVE LAMINATES



SUPERTECH LAMINATES PVT. LTD.
INDIA

E-mail : supertechlam@yahoo.com
Website : www.supertechlaminates.com

ICE TOUCH[®]

VOL

